

Doktorandské dny '07

**Ústav informatiky
Akademie věd České republiky
v.v.i.**

**Malá Úpa
17.– 19. září 2007**

vydavatelství Matematicko-fyzikální fakulty
University Karlovy v Praze

Ústav Informatiky AV ČR v.v.i., Pod Vodárenskou věží 2, 182 07 Praha 8

Všechna práva vyhrazena. Tato publikace ani žádná její část nesmí být reprodukována nebo šířena v žádné formě, elektronické nebo mechanické, včetně fotokopíí, bez písemného souhlasu vydavatele.

© Ústav Informatiky AV ČR v.v.i.,2007
© MATFYZPRESS, vydavatelství Matematicko-fyzikální fakulty
University Karlovy v Praze 2007

ISBN – *not yet* –

Obsah

Radim Nedbal: **Various Kinds of Preferences in Database Queries**

1

Various Kinds of Preferences in Database Queries

Post-Graduate Student:

RADIM NEDBAL

Institute of Computer Science
Academy of Sciences of the Czech Republic
Pod Vodárenskou věží 2
182 07 Prague 8 ,

Department of mathematics
Faculty of nuclear science and physical engineering
ČVUT
Trojanova 13
120 00 Prague 2
Czech Republic

radned@seznam.cz

Supervisor:

ING. JÚLIUS ŠTULLER, CSC.

Institute of Computer Science
Academy of Sciences of the Czech Republic
Pod Vodárenskou věží 2
182 07 Prague 8

stuller@cs.cas.cz

Field of Study:
Mathematical Engineering

This work was supported by the project 1ET100300419 of the Program Information Society (of the Thematic Program II of the National Research Program of the Czech Republic) "Intelligent Models, Algorithms, Methods and Tools for the Semantic Web Realization", and by the Institutional Research Plan AV0Z10300504 "Computer Science for the Information Society: Models, Algorithms, Applications".

Abstract

The paper resumes recent advances in the field of logic of preference and presents their application in the field of database queries. Namely, non-monotonic reasoning mechanisms including various kinds of preferences are reviewed, and a way of suiting them to practical database applications is shown: reasoning including sixteen strict and non-strict kinds of preferences, inclusive of *ceteris paribus* preferences, is feasible. However, to make the mechanisms useful for practical applications, the assumption of preference specification consistency has to be relinquished. This is achieved in two steps: firstly, all the kinds of preferences are defined so that some uncertainty is inherent, and secondly, not a notion of a total pre-order but a partial pre-order is used in the semantics, which enables to indicate some kind of conflict among preferences. Most importantly, the semantics of a set of preferences is related to that of a disjunctive logic program.

1. Introduction

All too often no reasonable answer is returned by an SQL-based search engine though one has tried hard writing query to match one's personal preferences closely. The case of repeatedly receiving *empty query result* is extremely disappointing to the user. On the other hand, leaving out some conditions in the query often leads to another unpleasant extreme: an *overloading* with lots of

mostly *irrelevant information*.

This observation stems from the fact that traditional database query languages treat all the requirements on the data as mandatory, hard ones. However, it is natural to express queries in terms of both hard as well as soft requirements, i.e., preferences, in many applications. In the "real world", preferences are understood in the sense of wishes: in case they are not satisfied, database users are usually prepared to accept worse alternatives. Thus preferences require a paradigm shift from exact matches towards a best possible matchmaking.

The paper presents a work in progress aiming at **simultaneous usage of various kinds of preferences in database queries**. The semantics of preferences is defined according to recent advances in the field of preference logic. Consequently, the preferences under consideration, in general, are set preferences. The objective is to provide database users with a language that is declarative, can be used to define such database queries that not necessarily all answers but rather the best, the most preferred ones are returned, includes various kinds of preferences, and has an intuitive, well defined semantics allowing for conflicting preferences.

In section 2, the basic notions of logic of preference and non-monotonic reasoning are briefly summarized. In section 3, basic concepts and key features of the proposed approach are introduced: preference operator is defined and its basic properties presented, inclusive of algebraic properties important for algebraic optimi-

zation of database queries. Section 4 gives a short overview of related work and the 5th section concludes the paper.

2. Preliminaries

The logic of preference has been studied since the sixties as a branch of philosophical logic: Logicians and philosophers have been attempting to define the one well-formed logic that people should follow when expressing preferences.

2.1. Logic of preference

It is Von Wright's essay [1] that tries to give the first axiomatization of a logic of preference. The general idea is that the expression “ a is preferred to b ” should be understood as the preference of a state (a world) where a occurs over a state where b occurs. Von Wright expressed a theory based on five axioms. The problem is that empirical observation of human behavior provides counterexamples of this axiomatization.

Later, Von Wright [2] introduced a more general frame to define preferences, updating also the notion of *ceteris paribus* preferences. In this approach, he considers a set S of n logically independent states of affairs and the set $W = 2^S$ of 2^n combinations of the elements of S . An s -world is called any element of W that holds when s holds. In the same way is defined a C_i -world, where C_i is a combination of elements of S . Now, von Wright gives two definitions (strong and weak) of “ s is preferred to t under the circumstances C_i ”:

1. (strong): s is preferred to t under the circumstances C_i iff every C_i -world that is also an s -world and not a t -world is preferred to every C_i -world that is also a t -world and not an s -world.
2. (weak): s is preferred to t under the circumstances C_i iff some C_i -world that is also an s -world is preferred to some C_i -world that is also a t -world, and no C_i -world which is a t -world is preferred to any C_i -world which is an s -world.

Finally, if s is preferred to t under all circumstances C_i , according to either definition, then s is said to be preferred to t *ceteris paribus*.

It can be concluded that the philosophical discussion about preferences failed the objective to give a unifying frame of generalized preference relations that could

hold for any kind of states, based on well-defined axiomatization.

More recently, Von Wright's ideas and the discussion about “logical representation of preferences” attracted attention again. For instance Doyle and Wellman [3] give a modern treatment of preferences *ceteris paribus*. On the other hand, Boutilier [4] pioneers a new way of looking at preference logic by augmenting a basic modal language. His work is the base of the recent work of van Benthem, Otterloo and Roy [5], who reduce preference logic to a basic (multi)modal language augmented with the so-called *existential modality*. Their semantics does not include *ceteris paribus* property of preferences.¹

2.2. Logic of preferences

A drawback of the present state of the art in the logic of preference is that proposed logics typically formalize only preference of one kind. Consequently, when formalizing preferences, one has to choose which kind of preference statements are used for all preferences under consideration.

To study the interaction among kinds of preferences, a non-monotonic preference logic for various kinds of preferences, *logic of preferences* – in contrast to the usual reference to the *logic of preference*, has been recently developed by Kaci and Torre [7, 8]. They have developed algorithms for a non-monotonic preference logic for sixteen kinds of preferences: four basic types, each of them strict or non-strict, with or without *ceteris paribus* proviso.

To describe *ceteris paribus* preference, a general construction proposed by Doyle and Wellman [3] is employed. Their language for preference built over a set of propositions is defined inductively from propositional variables. They mean by *proposition* a set of individual objects, elements of a set W . These individual objects can be understood as worlds, i.e., truth assignments for propositional variables. In other words, a propositional formula is identified with worlds – fulfilling truth assignments, and the powerset 2^W is taken to be the set of all propositional formulas.

Their *ceteris paribus* preferences are based on a notion of contextual equivalence:

Definition 1 (Contextual equivalence)[3, Def.4] Let W be a set of worlds and $\xi(W)$ be the set of equivalence relations on W . A contextual equivalence on W is a function $\eta : 2^{2^W} \rightarrow \xi(W)$ assigning to each set of propositional formulas $\{\varphi, \psi, \dots\}$ equivalence relation

¹For more detailed survey of the origin of preference logic in the work of von Wright refer to [6].

$\eta(\varphi, \psi, \dots)$.

If $w \eta(\varphi, \psi, \dots) w'$, we usually write

$$w \equiv w' \pmod{\eta(\varphi, \psi, \dots)} .$$

Definition 2 (Preference model) A preference model $\mathcal{M} = \langle W, \succeq, \eta \rangle$ is a triplet in which W is a set of worlds, \succeq is a total pre-order, i.e., a relation which is complete, reflexive, and transitive, over W , and η is a contextual equivalence function on W .

Definition 3 (Comparative greatness)[3, Def.5] We say that “ φ is weakly greater than ψ ,” written $\varphi \succeq \psi$, is satisfied in the model \mathcal{M} , written $\mathcal{M} \models \varphi \succeq \psi$, iff $w_1 \succeq w_2$ whenever

1. $w_1 \models \varphi \wedge \neg\psi$,
2. $w_2 \models \neg\varphi \wedge \psi$, and
3. $w_1 \equiv w_2 \pmod{\eta(\varphi \wedge \neg\psi, \neg\varphi \wedge \psi)}$.

This definition of ceteris paribus preferences seems very close to the intended semantics behind von Wright’s principles. Preferences of φ over ψ are defined as preferences of $\varphi \wedge \neg\psi$ over $\neg\varphi \wedge \psi$, which is standard and known as von Wright’s expansion principle [1]. Also, note that if the equivalence relation $\eta(\varphi \wedge \neg\psi, \neg\varphi \wedge \psi)$ is the universal relation, i.e., an equivalence relation with only one equivalence class, then the ceteris paribus preference reduces to strong condition (φ is preferred to ψ when each $\varphi \wedge \neg\psi$ is preferred to all $\neg\varphi \wedge \psi$).

The following proposition [8] shows that Def.3 reduces a preference with ceteris paribus proviso to a set of preferences for each equivalence class of the equivalence relation.

Proposition 1 [8, Prop.2] Assume a finite set of propositional variables, and let $\epsilon(\eta, \varphi, \psi)$ be the set of propositional formulas which are true in all worlds of an equivalence class of $\eta(\varphi, \psi)$, but false in all others: $\{\chi \mid \exists w \forall w' : w \equiv w' \pmod{\eta(\varphi, \psi)} \iff w' \models \chi\}$. We have that “ φ is weakly greater than ψ ” is satisfied in the model $\mathcal{M} = \langle W, \succeq, \eta \rangle$ iff for all propositions $c \in \epsilon(\eta, \varphi \wedge \neg\psi, \neg\varphi \wedge \psi)$, we have that $w_1 \succeq w_2$ whenever

1. $w_1 \models \varphi \wedge \neg\psi \wedge c$,
2. $w_2 \models \neg\varphi \wedge \psi \wedge c$.

The logical language introduced in by Kaci and Torre [8] extends propositional logic with sixteen kinds of preferences:

Definition 4 (Language) [8, Def.3] Given a finite set of propositional variables p, q, \dots , the set L_0 of propositional formulas and the set L of preference formulas is defined as follows:

$$\begin{aligned} L_0 \ni \varphi, \psi: & p \mid (\varphi \wedge \psi) \mid \neg\varphi \\ L \ni \Phi, \Psi: & \varphi^{x>y} \psi \mid \varphi^{x \geq y} \psi \mid \varphi^{x >_c^y} \psi \mid \varphi^{x \geq_c^y} \psi \mid \\ & \neg\Phi \mid (\Phi \wedge \Psi) \quad \text{for } x, y \in \{m, M\} \end{aligned}$$

Definition 5 (Monotonic semantics)[8, Def.4] Let \mathcal{M} be a preference model. When $x = M$ we write $x(\varphi, \mathcal{M})$ for

$$\max(\varphi, \mathcal{M}) = \{w \in W \mid w \models \varphi \wedge (\forall w' \in W : w' \models \varphi \Rightarrow w \succeq w')\} ,$$

and analogously when $x = m$ we write $x(\varphi, \mathcal{M})$ for

$$\min(\varphi, \mathcal{M}) = \{w \in W \mid w \models \varphi \wedge (\forall w' \in W : w' \models \varphi \Rightarrow w' \succeq w)\} .$$

$$\mathcal{M} \models \varphi^{x>y} \psi \text{ iff } \forall w \in x(\varphi \wedge \neg\psi, \mathcal{M}), \forall w' \in y(\neg\varphi \wedge \psi, \mathcal{M}) : w \succ w'$$

$$\mathcal{M} \models \varphi^{x \geq y} \psi \text{ iff } \forall w \in x(\varphi \wedge \neg\psi, \mathcal{M}), \forall w' \in y(\neg\varphi \wedge \psi, \mathcal{M}) : w \succeq w'$$

$$\mathcal{M} \models \varphi^{x>_c^y} \psi \text{ iff } \forall c \in \epsilon(\eta, \varphi \wedge \neg\psi, \neg\varphi \wedge \psi), \forall w \in x(\varphi \wedge \neg\psi \wedge c, \mathcal{M}), \forall w' \in y(\neg\varphi \wedge \psi \wedge c, \mathcal{M}) : w \succ w'$$

$$\mathcal{M} \models \varphi^{x \geq_c^y} \psi \text{ iff } \forall c \in \epsilon(\eta, \varphi \wedge \neg\psi, \neg\varphi \wedge \psi), \forall w \in x(\varphi \wedge \neg\psi \wedge c, \mathcal{M}), \forall w' \in y(\neg\varphi \wedge \psi \wedge c, \mathcal{M}) : w \succeq w'$$

Moreover, logical notions are defined as usual, in particular:

$$S \models \Phi \iff \forall \mathcal{M} : \mathcal{M} \models S \Rightarrow \mathcal{M} \models \Phi .$$

Note that $\varphi^{m \geq_c^M} \psi$ is the Doyle and Wellmans’s comparative greatness (Def.3).

In this paper, we are interested in a special kind of theories, namely preference specifications:

Definition 6 (Preference specification) [8, Def.5] Let $\mathcal{P}_\triangleright$ be a set of preferences of the form $\{\varphi_i \triangleright \psi_i : i = 1, \dots, n\}$. A preference specification \mathcal{P} is a tuple:

$$\langle \mathcal{P}_\triangleright \mid \triangleright \in \{^{x>y}, ^{x \geq y}, ^{x>_c^y}, ^{x \geq_c^y} \mid x, y \in \{m, M\}\} \rangle ,$$

and \mathcal{M} is its model iff it models all $\mathcal{P}_\triangleright$:

$$\mathcal{M} \models \mathcal{P}_\triangleright \iff \forall (\varphi_i \triangleright \psi_i) \in \mathcal{P}_\triangleright : \mathcal{M} \models \varphi_i \triangleright \psi_i .$$

Corollary 1 *Observe that by Prop.1, we can replace ceteris paribus preferences, written $x \succ_c^y$ or $x \succeq_c^y$, by sets of ordinary preferences without a ceteris paribus proviso. Consequently, we can restrict ourselves to the eight types of preferences without ceteris paribus clauses.*

2.3. Non-monotonic logic of preferences

Non-monotonic reasoning has been characterized by Shoham [9] as a mechanism that selects a subset of the models of a set of formulas, which we call distinguished models. Thus non-monotonic consequences of a logical theory are defined as all formulas which are true in the distinguished models of the theory.

An attractive property occurs when there is only one distinguished model, as then all non-monotonic consequences can be found by calculating the unique distinguished model and characterizing all formulas satisfied by this model. It has been proved in the literature that a unique distinguished model can be defined for the following sets of preferences: $\mathcal{P}_{m \succ M}$, $\mathcal{P}_{m \succ^y M}$, and $\mathcal{P}_{M \succ m}$.

Moreover, Kaci and Torre [8] have defined a distinguished model and proved its uniqueness for

$$\langle \mathcal{P}_{\triangleright} | \triangleright \in \{x \succ^y, x \succeq^y, x \succ_c^y, x \succeq_c^y \mid x \in \{m, M\}, y = M\} \rangle$$

and also for

$$\langle \mathcal{P}_{\triangleright} | \triangleright \in \{x \succ^y, x \succeq^y, x \succ_c^y, x \succeq_c^y \mid x = m, y \in \{m, M\}\} \rangle$$

They have also provided algorithms to calculate these two unique models and presented a way to combine these models to find a distinguished model of all the types of preferences given together. Their algorithms also capture all the algorithms for handling all the kinds of preferences separately.

It should be pointed out, that the consistency of preference specification, i.e., no conflict among preferences, has been assumed by now. This assumption, however, is hard to fulfil in practical applications. In order not to restrict the use of the logic of preference, Boella and Torre [10] have proposed a minimal logic of preference in which *any* preference specification is consistent. They have achieved the consistency by means of:

- formalizing a preference φ over ψ as the **absence** of a ψ world that is preferred over a φ world;
- amending the preference model definition by using **partial pre-order** instead of total pre-order on worlds, which enables to indicate some kind of conflict among worlds (by their incomparability).

Their non-monotonic reasoning is based on distinguished models called *most connected models*.

Definition 7 Most connected model [10, Def.4] A model $\mathcal{M} = \langle W, \succeq, \eta \rangle$ is at least as connected as another model $\mathcal{M}' = \langle W, \succeq', \eta \rangle$, written as $\mathcal{M} \sqsubseteq \mathcal{M}'$, if $\succeq' \subseteq \succeq$, i.e.,

$$\forall w_1, w_2 \in W : w_1 \succeq' w_2 \Rightarrow w_1 \succeq w_2 .$$

A model \mathcal{M} is most connected if there is no other model \mathcal{M}' s.t. $\mathcal{M}' \sqsubset \mathcal{M}$, i.e., s.t. $\mathcal{M}' \sqsubseteq \mathcal{M}$ without $\mathcal{M} \sqsubseteq \mathcal{M}'$.

In comparison with Kaci and Torre's language [8], their language is by far less expressive, having only one kind of preference.

3. Preferences in database queries

To improve the readability, $x \succeq y \wedge \neg(y \succeq x)$, $\succeq(x, y) \wedge \neg \succeq(y, x)$, and $\succeq(x, y) \wedge \succeq(y, x)$ is substituted by $x \succ y$, $\succ(x, y)$, and $=(x, y)$, resp., henceforth.

3.1. Basic concepts and key features

To reach the target, we need to accommodate an expressive language with various kinds of preferences in the RDM framework. We propose to base its model-theoretic semantics on those of preference logic languages.

In the following list of basic concepts, the key features are boldfaced.

- User preferences are expressed in a **preference logic language**.
- Semantics of a set of (possibly conflicting) preferences is related to that of a **disjunctive logic program** (DLP).
- **Non-monotonic reasoning mechanisms** about preferences has to be employed to reason about preferences that are defined in such a way that consistency is ensured under all circumstances.
- A preference operator returning only the best tuples in the sense of user preferences is used to embed preferences into relational query languages.

We identify propositional variables with tuples, i.e., facts over relations. A subset of a relation instance, i.e., a set of facts, creates a world, an element of a set W , and propositions are logically implied by worlds in which they hold true.

3.2. User preferences

Our starting point is the language (Def.4) introduced by Kaci and Tore [8] who extend propositional language with sixteen kinds of preferences. The aim is to accommodate this expressive language in the RDM framework so that any set of (possibly conflicting) preferences has a well defined semantics.

To define the semantics without the consistency assumption, the definition (Def.2) of the preference model has to be extended. For this reason, Boella and Torre [10] have replaced the total pre-order with *partial pre-order*, i.e., a binary relation which is reflexive and transitive, on worlds in the preference model definition. Indeed, it shows that their definition provides a sufficient space of models.

Definition 8 (Preference model) A preference model $\mathcal{M} = \langle W, \succeq \rangle$ over a relation schema R is a couple in which W is a set of worlds, relation instances of R , and \succeq is a *partial pre-order* over W , the *preference relation*.

Observe that as preferences with *ceteris paribus* provisos can be reduced in accordance with Cor.1 to sets of preferences without such provisos, we have neglected the contextual equivalence in the definition of the preference model.

Definition 9 (Models of preferences) Let \mathcal{M} be a preference model and w, w' elements of W s.t. $w \models \neg\varphi \wedge \psi$ and $w' \models \varphi \wedge \neg\psi$. Then:

$\mathcal{M} \models \varphi^{M>M} \psi$ iff $\exists w' \text{ s.t. } \forall w : \text{if } \varphi \wedge \neg\psi \not\models_W \text{ false, we have } \neg(w \succeq w')$.

$\mathcal{M} \models \varphi^{M \geq M} \psi$ iff $\exists w' \text{ s.t. } \forall w : \text{if } \varphi \wedge \neg\psi \not\models_W \text{ false, we have } \neg(w \succ w')$.

$\mathcal{M} \models \varphi^{m>M} \psi$ iff $\forall w \forall w', \text{ we have } \neg(w \succeq w')$.

$\mathcal{M} \models \varphi^{m \geq M} \psi$ iff $\forall w \forall w', \text{ we have } \neg(w \succ w')$.

$\mathcal{M} \models \varphi^{M>m} \psi$ iff $\exists w \exists w' : \text{if } \neg\varphi \wedge \psi \not\models_W \text{ false and } \varphi \wedge \neg\psi \not\models_W \text{ false, we have } \neg(w \succeq w')$.

$\mathcal{M} \models \varphi^{M \geq m} \psi$ iff $\exists w \exists w' : \text{if } \neg\varphi \wedge \psi \not\models_W \text{ false and } \varphi \wedge \neg\psi \not\models_W \text{ false, we have } \neg(w \succ w')$.

$\mathcal{M} \models \varphi^{m>m} \psi$ iff $\exists w \forall w' : \text{if } \neg\varphi \wedge \psi \not\models_W \text{ false, we have } \neg(w \succeq w')$.

$\mathcal{M} \models \varphi^{m \geq m} \psi$ iff $\exists w \forall w' : \text{if } \neg\varphi \wedge \psi \not\models_W \text{ false, we have } \neg(w \succ w')$.

² $\varphi \wedge \neg\psi \not\models_W \text{ false}$ denotes that there is a model in W for $\varphi \wedge \neg\psi$.

³Elements of E_i and E_j fulfill $\varphi \wedge \neg\psi$ and $\neg\varphi \wedge \psi$, resp. in the following list

3.3. Preference specification semantics

Definition 10 (Preference specification) Let R be a relation schema. Given the set $L_0(R)$ from the definition (Def.4) of the language in which propositional variables are identified with facts over the relation R , $\mathcal{P}_{\triangleright}(R)$ is a set of preferences over the relation schema R of the form $\{\varphi_i \triangleright \psi_i : i = 1, \dots, n\}$ for $\varphi_i, \psi_i \in L_0(R)$. A preference specification \mathcal{P} over the relation schema R is a tuple $\langle \mathcal{P}_{\triangleright}(R) | \triangleright \in \{>, \geq\} | x, y \in \{m, M\} \rangle$, and $\mathcal{M}(\mathcal{P})$ is its model, i.e., a *preference specification model*, iff it models all $\mathcal{P}_{\triangleright}(R)$:

$$\mathcal{M}(\mathcal{P}) \models \mathcal{P}_{\triangleright}(R) \iff \forall (\varphi_i \triangleright \psi_i) \in \mathcal{P}_{\triangleright}(R) : \mathcal{M}(\mathcal{P}) \models \varphi_i \triangleright \psi_i .$$

To calculate a preference specification model, we associate the preference specification \mathcal{P} with a DLP, then employ optimal model semantics of the DLP and finally compute the model by means of iteration of the *immediate consequence operator* for a positive logic program.

3.3.1 Disjunctive logic program: First, we associate the preference specification \mathcal{P} with a DLP in three steps:

First step: Create a partition $E_W = (E_1, \dots, E_n)$ of W so that $w, w' \in E_i$ iff any of the following conditions is fulfilled for every preference $\varphi \triangleright \psi$:

1. $w \models \varphi \wedge \neg\psi$ and $w' \models \varphi \wedge \neg\psi$,
2. $w \models \neg\varphi \wedge \psi$ and $w' \models \neg\varphi \wedge \psi$,
3. $w \models (\varphi \wedge \psi) \vee (\neg\varphi \wedge \neg\psi)$ and $w' \models (\varphi \wedge \psi) \vee (\neg\varphi \wedge \neg\psi)$.

Second step: Substitute each preference type by a logical formula³:

$\varphi^{M>M} \psi$: if $\varphi \wedge \neg\psi \not\models_W \text{ false, we have: } \exists E_i \text{ s.t. } \forall E_j : \not\models (E_j, E_i)$.

$\varphi^{M \geq M} \psi$: if $\varphi \wedge \neg\psi \not\models_W \text{ false, we have: } \exists E_i \text{ s.t. } \forall E_j : \not\models (E_j, E_i)$.

$\varphi^{m>M} \psi$: $\forall E_j \forall E_i : \not\models (E_j, E_i)$.

$\varphi^{m \geq M} \psi$: $\forall E_j \forall E_i : \not\models (E_j, E_i)$.

$\varphi^{M>m} \psi$: if $\varphi \wedge \neg\psi \not\models_W \text{ false, we have: } \exists E_j \exists E_i : \not\models (E_j, E_i)$.

$\varphi^{M \geq m} \psi$: if $\varphi \wedge \neg \psi \not\models_W \text{false}$, we have:
 $\exists E_j \exists E_i : \not\asymp (E_j, E_i)$.

$\varphi^{m > m} \psi$: $\exists E_j \forall E_i : \not\asymp (E_j, E_i)$.

$\varphi^{m \geq m} \psi$: $\exists E_j \forall E_i : \not\asymp (E_j, E_i)$.

The above formulae can be expressed as disjunctions.

Third step: Furthermore, formulae expressing properties of the above predicates and their relations have to be added:

$$\begin{aligned} \not\asymp (A, B) \vee \succ (A, B) &\leftarrow \not\asymp (B, A). \\ \not\asymp (B, A) \vee [\succ (A, B) \wedge \succ (B, A)] &\leftarrow \not\asymp (B, A). \end{aligned}$$

$$\begin{aligned} \succ (A, C) &\leftarrow \succ (A, B) \wedge \succ (B, C). \\ \parallel (A, B) &\leftarrow \not\asymp (A, B) \wedge \not\asymp (B, A). \\ \succ (A, B) &\leftarrow \neg \not\asymp (A, B). \\ \text{false} &\leftarrow \not\asymp (A, B) \wedge \succ (A, B). \\ \succ (A, A) &\leftarrow . \end{aligned}$$

3.3.2 Optimal model semantics: To define the meaning of the DLP, we employ *optimal model semantics* [11].

Definition 11 (Atomic weight assignment) [11, Def.2] An atomic weight assignment, \wp , for a program P , is a map from the Herbrand Base B_P of P to \mathbb{R}_0^+ , where \mathbb{R}_0^+ denotes the set of nonnegative real numbers (including zero).

Definition 12 (Aggregation strategy) [11, Def.3] An aggregation strategy \mathcal{A} is a map from $4 M^{\mathbb{R}_0^+}$ to \mathbb{R} .

Definition 13 (Herbrand Objective function)[11, Def.4] The Herbrand Objective Function, $\text{HOF}(\wp, \mathcal{A})$ is a map from 2^{B_P} to \mathbb{R}_0^+ defined as follows:

$$\text{HOF}(\wp, \mathcal{A})(M) = \mathcal{A}(\{\wp(A) \mid A \in M\}) .$$

Definition 14 (Optimal model)[11, Def.5] Let P be a logic program, \wp an atomic weight assignment, and \mathcal{A} an aggregation strategy. Suppose that \mathcal{F} is a family of models of P . We say that M is an optimal \mathcal{F} -model of P with regard to (\wp, \mathcal{A}) if:

1. $M \in \mathcal{F}$;
2. $\nexists M' : M' \in \mathcal{F} \wedge \text{HOF}(\wp, \mathcal{A})(M') < \text{HOF}(\wp, \mathcal{A})(M)$.

⁴Given a set X , M^X denotes the set of all multisets whose elements are in X .

We use the notation $\text{Opt}(P, \mathcal{F}, \wp, \mathcal{A})$ to denote the set of all optimal \mathcal{F} -models of P with regard to (\wp, \mathcal{A}) .

Applying a variant of the connectivity principle (c.f. Def.7), distinguished models, defining the meaning of the program P , can be selected from stable models $\text{ST}(P)$ of P so that the intensional relation \parallel of incomparable elements is minimal in the sense of set inclusion. Accordingly, we get the intended optimal model semantics of our program when we extend the notions of aggregation strategy and Herbrand objective function so that the relation of set inclusion can be captured.

It is important to point out that

$$\text{Opt}(P, \text{ST}(P), \wp_0, \mathcal{A}_0) ,$$

in general, contains more than one optimal model.

For every intensional relation \succ_k that is subsumed in an optimal model $M_P \in \text{Opt}(P, \text{ST}(P), \wp_0, \mathcal{A}_0)$, we define the preference relation as follows:

$$\begin{aligned} \forall w, w' \in W \text{ with } w \in E_i, w' \in E_j : \\ w \succeq_k w' \iff E_i \succ_k E_j \end{aligned}$$

and get a preference specification model $\mathcal{M}_k(\mathcal{P}) = \langle W, \succeq_k \rangle$.

3.3.3 Computing the model: Ordering the partition of W according to the intensional relation \succ_k that is subsumed in an optimal model $M_P \in \text{Opt}(P, \text{ST}(P), \wp_0, \mathcal{A}_0)$, the most preferred worlds ultimately are located in maximal elements of the partition. To find the maximal elements, the ordered partition is associated with a positive datalog program consisting of one rule:

$$M(A) \leftarrow M(B) \wedge \succ_k (A, B).$$

and facts: $\succ_k (E_i, E_j) \in M_P$.

Observe that M_P is a the least, trivial model of the above program. Nevertheless, least nontrivial models of the above program yield the interpretations of the predicate M identifying the maximal elements and thus also the most preferred worlds according to the model $\mathcal{M}_k(\mathcal{P}) = \langle W, \succeq_k \rangle$.

3.4. Preference operator

To embed preferences into relational query languages, a *preference operator* $\omega_{\mathcal{P}}$ returning only the best tuples in the sense of user preferences \mathcal{P} is defined.

Definition 15 (Preference operator) If R is a relation schema, \mathcal{P} a preference specification over R , and $\mathcal{M}(\mathcal{P})$ the set of its models; then the preference operator $\omega_{\mathcal{P}}$ is defined for all instances $I(R)$ of R as follows:

$$\begin{aligned} \omega_{\mathcal{P}}(I(R)) &= \{w \in W \mid \\ &w \subseteq I(R) \wedge \exists \mathcal{M}_k(\mathcal{P}) \in \mathcal{M}(\mathcal{P}) \text{ s.t. } \forall w' \in W : \\ &w' \subseteq I(R) \wedge \succeq_k(w', w) \Rightarrow \succeq_k(w, w')\} . \end{aligned}$$

3.4.1 Basic properties:

Proposition 2 Given a relation schema R , a preference specification \mathcal{P} over R , for all instances $I(R)$ of R the following properties hold:

$$\begin{aligned} \omega_{\mathcal{P}}(I(R)) &\subseteq 2^{I(R)} , \\ \omega_{\mathcal{P}}(\omega_{\mathcal{P}}(I(R))) &= \omega_{\mathcal{P}}(I(R)) , \\ \omega_{\mathcal{P}_{empty}}(I(R)) &= 2^{I(R)} , \end{aligned}$$

where \mathcal{P}_{empty} is the empty preference specification, i.e., containing no preference.

Theorem 1 (Non-emptiness) Given a relation schema R , a preference specification \mathcal{P} over R , then for every finite, nonempty instance $I(R)$ of R , $\omega_{\mathcal{P}}(I(R))$ is non-empty.

3.4.2 Multidimensional composition: The most common ways of defining a preference on the Cartesian product of two relations are Pareto and lexicographic composition.

Definition 16 (Pareto composition) Given two relation schemas R_1 and R_2 , preference specifications \mathcal{P}_1 over R_1 and \mathcal{P}_2 over R_2 , and its sets of models $\mathcal{M}(\mathcal{P}_1)$ and $\mathcal{M}(\mathcal{P}_2)$, respectively, the *Pareto composition* $P(\mathcal{P}_1, \mathcal{P}_2)$ of \mathcal{P}_1 and \mathcal{P}_2 is a preference specification \mathcal{P}_0 over the Cartesian product $R_1 \times R_2$, whose preference relation \succeq_m is defined as:

$$\begin{aligned} \forall w_1, w'_1 \in W_1, \forall w_2, w'_2 \in W_2, \\ \exists \mathcal{M}_k(\mathcal{P}_1) \in \mathcal{M}(\mathcal{P}_1), \exists \mathcal{M}_l(\mathcal{P}_2) \in \mathcal{M}(\mathcal{P}_2) : \\ \succeq_m(w_1 \times w_2, w'_1 \times w'_2) \equiv \succeq_k(w_1, w'_1) \wedge \succeq_l(w_2, w'_2) , \end{aligned}$$

where $\mathcal{M}_k(\mathcal{P}_1) = \langle W_1, \succeq_k \rangle$ and $\mathcal{M}_l(\mathcal{P}_2) = \langle W_2, \succeq_l \rangle$.

Definition 17 (Lexicographic composition) Given two relation schemas R_1 and R_2 , preference specifications \mathcal{P}_1 over R_1 and \mathcal{P}_2 over R_2 , and its sets of models $\mathcal{M}(\mathcal{P}_1)$ and $\mathcal{M}(\mathcal{P}_2)$, respectively, the *lexicographic composition* $L(\mathcal{P}_1, \mathcal{P}_2)$ of \mathcal{P}_1 and \mathcal{P}_2 is a preference specification \mathcal{P}_0 over the Cartesian product $R_1 \times R_2$, whose preference relation \succeq_m is defined as:

$$\begin{aligned} \forall w_1, w'_1 \in W_1, \forall w_2, w'_2 \in W_2, \\ \exists \mathcal{M}_k(\mathcal{P}_1) \in \mathcal{M}(\mathcal{P}_1), \exists \mathcal{M}_l(\mathcal{P}_2) \in \mathcal{M}(\mathcal{P}_2) : \\ \succeq_m(w_1 \times w_2, w'_1 \times w'_2) \equiv \\ \succ_k(w_1, w'_1) \vee (=_k(w_1, w'_1) \wedge \succeq_l(w_2, w'_2)) , \end{aligned}$$

where $\mathcal{M}_k(\mathcal{P}_1) = \langle W_1, \succeq_k \rangle$ and $\mathcal{M}_l(\mathcal{P}_2) = \langle W_2, \succeq_l \rangle$.

3.4.3 Algebraic properties: The set of algebraic laws that govern the commutativity and distributivity of winnow with respect to relational algebra operations constitutes a formal foundation for rewriting preference queries using the standard strategies like *pushing selection down*.

The following theorem identifies a sufficient condition under which the preference operator and relational algebra selection commute.

Theorem 2 (Commuting with selection) Given a relation schema R , a preference specification \mathcal{P} over R , the set of its preference models $\mathcal{M}(\mathcal{P})$, and a selection condition φ over R , if the formula

$$\begin{aligned} \forall \mathcal{M}_k(\mathcal{P}) \in \mathcal{M}(\mathcal{P}), \forall w, w' \in W : \\ \succ_k(w', w) \wedge w = \sigma_{\varphi}(w) \Rightarrow w' = \sigma_{\varphi}(w') \end{aligned}$$

is valid, then for all instances $I(R)$:

$$\sigma_{\varphi}(\omega_{\mathcal{P}}(I(R))) = \omega_{\mathcal{P}}(\sigma_{\varphi}(I(R))) .$$

The following theorem identifies a sufficient condition under which the preference operator and relational algebra projection commute.

Definition 18 (Restriction of a preference relation) Given a relation schema R , a set of attributes X of R , and a preference relation \succeq over R , the restriction $\theta_X(\succeq)$ of \succeq to X is a preference relation \succeq_X over $\pi_X(R)$ defined using the following formula:

$$\begin{aligned} \succeq_X(w_X, w'_X) &\equiv \forall w, w' \in W : \\ \pi_X(w) = w_X \wedge \pi_X(w') = w'_X &\Rightarrow \succeq(w, w') . \end{aligned}$$

Definition 19 (Restriction of a preference model) Given a relation schema R , a set of attributes X of R , and

a preference model (Def.8) $\mathcal{M} = \langle W, \succeq \rangle$ over R , the restriction $\theta_X(\mathcal{M})$ of \mathcal{M} to X is a preference model $\mathcal{M}_X = \langle W_X, \succeq_X \rangle$ where $W_X = \{\pi_X(w) \mid w \in W\}$ and \succeq_X is defined as above.

Definition 20 (Restriction of a preference operator)

Given a relation schema R , a set of attributes X of R , the restriction $\theta_X(R)$ of R to X , a preference specification \mathcal{P} , and the set of its restricted models $\mathcal{M}_X(\mathcal{P})$; then the restriction $\theta_X(\omega_{\mathcal{P}})$ of a preference operator $\omega_{\mathcal{P}}$ to X is a preference operator $\omega_{\mathcal{P}}^X$ defined as follows:

$$\begin{aligned} \omega_{\mathcal{P}}^X(I(\theta_X(R))) &= \{w_X \in W_X \mid \\ &\exists \mathcal{M}_{Xk}(\mathcal{P}) \in \mathcal{M}_X(\mathcal{P}) \text{ s.t. } \forall w'_X \in W_X : \\ &\succeq_{Xk}(w'_X, w_X) \Rightarrow \succeq_{Xk}(w_X, w'_X)\} . \end{aligned}$$

Theorem 3 (Commuting with projection) *Given a relation schema R , a set of attributes X of R , the restriction $\theta_X(R)$ of R to X , a preference specification \mathcal{P} over R , and the set of its preference models $\mathcal{M}(\mathcal{P})$, if the following formulae*

$$\begin{aligned} \forall \mathcal{M}_k(\mathcal{P}) \in \mathcal{M}(\mathcal{P}), \forall w_1, w_2, w_3 \in W : \\ \pi_X(w_1) = \pi_X(w_2) \wedge \pi_X(w_1) \neq \pi_X(w_3) \\ \wedge \succeq_k(w_1, w_3) \Rightarrow \succeq_k(w_2, w_3) , \end{aligned}$$

$$\begin{aligned} \forall \mathcal{M}_k(\mathcal{P}) \in \mathcal{M}(\mathcal{P}), \forall w_1, w_3, w_4 \in W : \\ \pi_X(w_3) = \pi_X(w_4) \wedge \pi_X(w_1) \neq \pi_X(w_3) \\ \wedge \succeq_k(w_1, w_3) \Rightarrow \succeq_k(w_1, w_4) \end{aligned}$$

are valid, then for any relation instance $I(R)$ of R :

$$\{\pi_X(w) \mid w \in \omega_{\mathcal{P}}(I(R))\} = \omega_{\mathcal{P}}^X(\pi_X(I(R))) ,$$

where $\omega_{\mathcal{P}}^X = \theta(\omega_{\mathcal{P}})$ is the restriction of $\omega_{\mathcal{P}}$ to X .

For preference operator to distribute over the Cartesian product of two relations, the preference specification, which is the parametr of the preference operator, needs to be decomposed into the preference specifications that will distribute into the argument relations.

Theorem 4 (Distributing over Cart. product) *Given two relation schemas R_1 and R_2 , and preference specifications \mathcal{P}_1 over R_1 and \mathcal{P}_2 over R_2 , for any two relation instances $I(R_1)$ and $I(R_2)$ of R_1 and R_2 , respectively, the following property holds:*

$$\begin{aligned} \omega_{\mathcal{P}_0}(I(R_1) \times I(R_2)) = \\ \{w_1 \times w_2 \mid w_1 \in \omega_{\mathcal{P}_1}(I(R_1)) \wedge w_2 \in \omega_{\mathcal{P}_2}(I(R_2))\} , \end{aligned}$$

where $\mathcal{P}_0 = P(\mathcal{P}_1, \mathcal{P}_2)$ is a Pareto composition of \mathcal{P}_1 and \mathcal{P}_2 .

Theorem 4 makes it possible to derive the transformation rule that pushes preference operator with a one-dimensional preference specification down the appropriate argument of the Cartesian product:

Corollary 2 *Given two relation schemas R_1 and R_2 , a preference specifications \mathcal{P}_1 over R_1 , and an empty preference specification \mathcal{P}_2 over R_2 , for any two relation instances $I(R_1)$ and $I(R_2)$ of R_1 and R_2 , respectively, the following property holds:*

$$\begin{aligned} \omega_{\mathcal{P}_0}(I(R_1) \times I(R_2)) = \\ \{w_1 \times w_2 \mid w_1 \in \omega_{\mathcal{P}_1}(I(R_1)) \wedge w_2 \subseteq I(R_2)\} , \end{aligned}$$

where $\mathcal{P}_0 = P(\mathcal{P}_1, \mathcal{P}_2)$ is a Pareto composition of \mathcal{P}_1 and \mathcal{P}_2 .

For lexicographic composition, we obtain the same property as for Pareto composition:

Theorem 5 (Distributing over Cart. product) *Given two relation schemas R_1 and R_2 , and preference specifications \mathcal{P}_1 over R_1 and \mathcal{P}_2 over R_2 , for any two relation instances $I(R_1)$ and $I(R_2)$ of R_1 and R_2 , respectively, the following property holds:*

$$\begin{aligned} \omega_{\mathcal{P}_0}(I(R_1) \times I(R_2)) = \\ \{w_1 \times w_2 \mid w_1 \in \omega_{\mathcal{P}_1}(I(R_1)) \wedge w_2 \in \omega_{\mathcal{P}_2}(I(R_2))\} , \end{aligned}$$

where $\mathcal{P}_0 = L(\mathcal{P}_1, \mathcal{P}_2)$ is a lexicographic composition of \mathcal{P}_1 and \mathcal{P}_2 .

The following theorem shows how the preference operator distributes over the union of two relations:

Theorem 6 (Distributing over union) *Given two compatible relation schemas⁵ R and S , and a preference specification \mathcal{P} over R (and S), for any two relation instances $I(R)$ and $I(S)$ of R and S , respectively, the following property holds:*

$$\omega_{\mathcal{P}}(I(R) \cup I(S)) = \omega_{\mathcal{P}}(\omega_{\mathcal{P}}(I(R)) \cup \omega_{\mathcal{P}}(I(S))) .$$

Only in the trivial case, it is possible to distribute the preference operator over difference:

Theorem 7 (Distributing over difference) *Given two compatible relation schemas R and S , and a preference specification \mathcal{P} over R (and S), for any two relation instances $I(R)$ and $I(S)$ of R and S , respectively, the following property holds:*

$$\omega_{\mathcal{P}}(I(R) - I(S)) = \omega_{\mathcal{P}}(I(R)) - \omega_{\mathcal{P}}(I(S))$$

iff the preference specification \mathcal{P} is empty.

⁵We call two relation schemas *compatible* if they have the same number of attributes and the corresponding attributes have identical domains.

The next theorem shows that some kind of nontrivial distributivity of preference operator over difference exists:

Theorem 8 (Distributing over difference) *Given two compatible relation schemas R and S , and a preference specification \mathcal{P} over R (and S), for any two relation instances $I(R)$ and $I(S)$ of R and S , respectively, the following property holds:*

$$\omega_{\mathcal{P}}(I(R) - I(S)) = \omega_{\mathcal{P}}\left(\bigcup_{k=1}^n \omega_{\mathcal{P}}^{(k)}(I(R)) - I(S)\right),$$

where $n \in \mathbb{N}$ is a minimal number s.t.

$$\omega_{\mathcal{P}}\left(\bigcup_{k=1}^n \omega_{\mathcal{P}}^{(k)}(I(R)) - I(S)\right) = \omega_{\mathcal{P}}\left(\left(\bigcup_{k=1}^n \omega_{\mathcal{P}}^{(k)}(I(R)) - I(S)\right) \cup \omega_{\mathcal{P}}^{(n+1)}(I(R))\right)$$

and $\omega_{\mathcal{P}}^{(k)}$ is the k -th iteration of the preference operator in $I(R)$ defined as:

$$\begin{aligned} \omega_{\mathcal{P}}^{(1)}(I(R)) &= \omega_{\mathcal{P}}(I(R)), \\ \omega_{\mathcal{P}}^{(n+1)}(I(R)) &= \omega_{\mathcal{P}}\left(I(R) - \bigcup_{k=1}^n \omega_{\mathcal{P}}^{(k)}(I(R))\right). \end{aligned}$$

4. Related work

The study of preferences in the context of database queries has been originated by Lacroix and Lavency [12]. Following this work, *preference datalog* was introduced in [13] where it was shown that the concept of preference provides a modular and declarative means for formulating optimization and relaxation queries in deductive databases.

Nevertheless, only at the turn of the millennium this area attracted broader interest again. Kießling et al. [14, 15, 16, 17, 18] and Chomicki et al. [19, 20, 21, 22] have pursued independently a similar, *qualitative* approach within which preferences between tuples are specified directly, using binary *preference relations*. The embedding into relational query languages they have used is identical to the presented approach: They have defined an operator returning only the best preference matches. However, they haven't considered preferences between *sets* of elements. A special case of this embedding represents *skyline operator* introduced by Börzsönyi et al. [23].

A slightly different approach was proposed in [24], where the relational data model was extended to incor-

porate partial orderings into data domains. A similar approach to preference modeling in the context of web repositories was presented in [25]. Also in [26], actual values of an arbitrary attribute were allowed to be partially ordered according to user preferences. Accordingly, relational algebra operations, aggregation functions and arithmetic were redefined. However, some of their properties were lost, and the query optimization issues were not discussed. A comprehensive work on partial order in databases, presenting the partially ordered sets as the basic construct for modeling data, is [27].

Other contributions aim at exploiting linear order inherent in many kinds of data, e.g., time series: in the context of statistical applications systems SEQUIN [28], SRQL [29], Aquery [30, 31].

By contrast to the above qualitative approach, in the *quantitative* approach [32, 33, 34] preferences are specified indirectly using *scoring functions* that associate a numeric score with every tuple.

5. Conclusions

Pursuing the goal of embedding preference queries in the relational data model, it has been shown that **user preferences can be captured in a logical language containing sixteen kinds of preferences**, and the semantics of the language can be defined with respect to the recent advances in logical representation of preferences allowing for **conflicting preferences**.

Embedding preferences into relational query languages has been implemented through a **preference operator returning the most preferred sets of tuples**. This operator has a formal semantics defined by means of optimal models of a DLP. To reason about preferences that might be inconsistent, non-monotonic reasoning about preferences has been used.

Sufficient conditions for commuting the preference operator with relational algebra selection or projection and for distributing over Cartesian product, set union, and set difference has been identified. Thus key rules for rewriting the preference queries using the standard algebraic optimization strategies have been established.

Future work directions include developing algorithms for evaluating the preference operator and identification of other algebraic properties, in order to lay the foundation for the optimization of preference queries. Also, complexity issues have to be addressed in detail.

References

- [1] G. von Wright, *The logic of preference*. Edinburgh University Press, Edinburgh, 1963.
- [2] G. von Wright, "The logic of preference reconsidered," *Theory and Decision*, vol. 3, pp. 140–169, 1972.
- [3] J. Doyle and M. P. Wellman, "Representing preferences as ceteris paribus comparatives," in *Decision-Theoretic Planning: Papers from the 1994 Spring AAAI Symposium*, pp. 69–75, AAAI Press, Menlo Park, California, 1994.
- [4] C. Boutilier, "Toward a logic for qualitative decision theory," in *Principles of Knowledge Representation and Reasoning* (J. Doyle, E. Sandewall, and P. Torasso, eds.), pp. 75–86, 1994.
- [5] J. van Benthem, S. van Otterloo, and O. Roy, "Preference logic, conditionals and solution concepts in games.." Prepublication Series PP-2005-28, October 2005.
- [6] P. Girard, "Von Wright's preference logic reconsidered." <http://www.stanford.edu/~pgirard/Survey.pdf>, March 2006.
- [7] S. Kaci and L. W. N. van der Torre, "Algorithms for a nonmonotonic logic of preferences.," in *ECSQARU* (L. Godo, ed.), vol. 3571 of *Lecture Notes in Computer Science*, pp. 281–292, Springer, 2005.
- [8] S. Kaci and L. W. N. van der Torre, "Nonmonotonic reasoning with various kinds of preferences," in *IJCAI-05 Multidisciplinary Workshop on Advances in Preference Handling* (Ronen I. Brafman and U. Junker, eds.), pp. 112–117, August 2005.
- [9] Y. Shoham, "Nonmonotonic logics: Meaning and utility," in *Proc. of the 10th IJCAI*, (Milan, Italy), pp. 388–393, 1987.
- [10] G. Boella and L. W. N. van der Torre, "A nonmonotonic logic for specifying and querying preferences.," in *IJCAI* (L. P. Kaelbling and A. Saffioti, eds.), pp. 1549–1550, Professional Book Center, 2005.
- [11] N. Leone, F. Scarcello, and V. Subrahmanian, "Optimal models of disjunctive logic programs: Semantics, complexity, and computation," *IEEE Transactions on Knowledge and Data Engineering*, vol. 16, pp. 487–503, April 2004.
- [12] M. Lacroix and P. Lavency, "Preferences; Putting More Knowledge into Queries.," in *VLDB* (P. M. Stocker, W. Kent, and P. Hammersley, eds.), pp. 217–225, Morgan Kaufmann, 1987.
- [13] K. Govindarajan, B. Jayaraman, and S. Mantha, "Preference datalog," Tech. Rep. 95-50, 1, 1995.
- [14] B. Hafenrichter and W. Kießling, "Optimization of relational preference queries," in *CRPIT '39: Proceedings of the sixteenth Australasian conference on Database technologies*, (Darlinghurst, Australia, Australia), pp. 175–184, Australian Computer Society, Inc., 2005.
- [15] W. Kießling, "Foundations of Preferences in Database Systems," in *Proceedings of the 28th VLDB Conference*, (Hong Kong, China), pp. 311–322, 2002.
- [16] W. Kießling, "Preference constructors for deeply personalized database queries," Tech. Rep. 2004-07, Institute of Computer Science, University of Augsburg, March 2004.
- [17] W. Kießling, "Preference Queries with SV-Semantics.," in *COMAD* (J. Haritsa and T. Vijayarajan, eds.), pp. 15–26, Computer Society of India, 2005.
- [18] W. Kießling and B. Hafenrichter, "Algebraic optimization of relational preference queries," Tech. Rep. 2003-01, Institute of Computer Science, University of Augsburg, February 2003.
- [19] J. Chomicki, "Preference Formulas in Relational Queries," *ACM Trans. Database Syst.*, vol. 28, no. 4, pp. 427–466, 2003.
- [20] J. Chomicki, "Semantic optimization of preference queries.," in *CDB* (B. Kuijpers and P. Z. Revesz, eds.), vol. 3074 of *Lecture Notes in Computer Science*, pp. 133–148, Springer, 2004.
- [21] J. Chomicki and J. Song, "Monotonic and nonmonotonic preference revision," 2005.
- [22] J. Chomicki, S. Staworko, and J. Marcinkowski, "Preference-driven querying of inconsistent relational databases," in *Proc. International Workshop on Inconsistency and Incompleteness in Databases*, (Munich, Germany), March 2006.
- [23] S. Börzsönyi, D. Kossmann, and K. Stocker, "The skyline operator," in *Proceedings of the 17th International Conference on Data Engineering*, (Washington, DC, USA), pp. 421–430, IEEE Computer Society, 2001.
- [24] W. Ng, "An Extension of the Relational Data Model to Incorporate Ordered Domains," *ACM Transactions on Database Systems*, vol. 26, pp. 344–383, September 2001.
- [25] S. Raghavan and H. Garcia-Molina, "Complex queries over web repositories," tech. rep., Stanford University, February 2003.

- [26] R. Nedbal, "Relational Databases with Ordered Relations," *Logic Journal of the IGPL*, vol. 13, no. 5, pp. 587–597, 2005.
- [27] D. R. Raymond, *Partial-order databases*. PhD thesis, University of Waterloo, Waterloo, Ontario, Canada, 1996. Adviser-W. M. Tompa.
- [28] P. Seshadri, M. Livny, and R. Ramakrishnan, "The design and implementation of a sequence database system," in *VLDB '96: Proceedings of the 22th International Conference on Very Large Data Bases*, (San Francisco, CA, USA), pp. 99–110, Morgan Kaufmann Publishers Inc., 1996.
- [29] R. Ramakrishnan, D. Donjerkovic, A. Ranganathan, K. S. Beyer, and M. Krishnaprasad, "Srql: Sorted relational query language," in *SSDBM '98: Proceedings of the 10th International Conference on Scientific and Statistical Database Management*, (Washington, DC, USA), pp. 84–95, IEEE Computer Society, 1998.
- [30] A. Lerner, *Querying Ordered Databases with AQuery*. PhD thesis, ENST-Paris, France, 2003.
- [31] A. Lerner and D. Shasha, "Aquery: Query language for ordered data, optimization techniques, and experiments," in *29th International Conference on Very Large Data Bases (VLDB'03)*, (Berlin, Germany), pp. 345–356, Morgan Kaufmann Publishers, September 2003.
- [32] R. Agrawal and E. Wimmers, "A Framework for Expressing and Combining Preferences.," in *SIGMOD Conference* (W. Chen, J. F. Naughton, and P. A. Bernstein, eds.), pp. 297–306, ACM, 2000.
- [33] R. Fagin, A. Lotem, and M. Naor, "Optimal aggregation algorithms for middleware," in *Symposium on Principles of Database Systems*, 2001.
- [34] R. Fagin and E. L. Wimmers, "A formula for incorporating weights into scoring rules," *Theor. Comput. Sci.*, vol. 239, no. 2, pp. 309–338, 2000.

Ústav Informatiky AV ČR v.v.i.
DOKTORANDSKÉ DNY '07

Vydal
MATFYZPRESS
vydavatelství
Matematicko-fyzikální fakulty
University Karlovy
Sokolovská 83, 186 75 Praha 8
jako svou – *not yet* – publikaci

Obálku navrhl František Hakl

Z předloh připravených v systému \LaTeX
vytisklo Repro středisko MFF UK
Sokolovská 83, 186 75 Praha 8

Vydání první
Praha 2007

ISBN – *not yet* –